

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	352	ratio\$1 same (RNR \$1 or noise\$1 or interference\$1) same (probabilit\$3) same (capacit\$3 or (number\$1 or quantit\$3 or amount \$1) near5 (user\$1 or terminal\$1 or mobile\$1 or station \$1 or equipment\$1 or MS\$1 or UE\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/26 15:30
L6	160	5 and ("370" or "455").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/26 15:30
S1	10785	wireless with (capacity or maximum (users or clients or mobiles))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/15 10:28
S2	2414	noise with (base adj2 station) with (link or channel or connect\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/15 10:28
S3	2292	((determine or obtain or find or measure or retrieve) with noise) and wireless and (maximum with (users or links or clients or stations or mobiles))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/15 10:28
S4	2031	RSSI and (noise or interference) and (capacity or (maximum near3 users))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/15 10:28

S5	19	"code domain" with (forward or downlink)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/15 10:28
S6	16	"code domain" adj3 measur\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/15 10:28
S7	152	(measur\$5 adj4 (noise or interference)) and (noise rise)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/15 10:28
S8	10	code domain same measur\$5 same noise	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/15 10:28
S9	10	code domain same measur\$5 same noise	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/15 10:28
S10	46	("code domain" same measur\$5) and (noise same measur\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/15 10:28
S11	56176	(determin\$3 or measur\$3 adjust\$3 or calculat\$3 or obtain\$3) adj4 (capacity or (max\$4 adj3 (user or client or mobile or station or equipment)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/15 10:28
S12	35	(base adj3 station) with "code domain"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/15 10:28
S13	859	probab\$5 with noise with threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/15 10:28

S14	20	(wireless or mobile) and ((max or maximum or threshold) near8 (user or capacity) same (noise rise near8 threshold))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/15 10:30
S15	5	(noise rise) same (threshold or maximum or max or limit) same (probabilit\$3 or chance or likelihood) same (capacit\$3 or user \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/15 10:36
S16	17271	(obtain\$3 or measur \$3 or determin\$3 or calculat\$3) near8 (noise or interference) same (user\$1 or capacit \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:12
S17	6329	(probabilit\$3 or likelihood or likely or chanc\$3 or statistic\$5 or estimat\$3) near10 (threshold or maximum) near10 (RNR or noise or interference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:14
S18	601	S16 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:14
S19	8081	(ratio or percent\$5 or fraction) with (RNR or noise or interference) with (capacit\$3 or user \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:15
S20	17271	(obtain\$3 or measur \$3 or determin\$3 or calculat\$3) near8 (noise or interference) same (user\$1 or capacit \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:16

S21	6329	(probability or likelihood or likely or chance or statistic\$5 or estimate\$3) near10 (threshold or maximum) near10 (RNR or noise or interference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:16
S22	8081	(ratio or percent\$5 or fraction) with (RNR or noise or interference) with (capacity\$3 or user\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:16
S23	142	S20 and S21 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:16
S24	839807	(optimal\$3 or best or great\$3 or high\$3 or large\$3 or maximum or max) near10 (capacity\$3 or (number near3 (user\$1 or client\$1 or terminal\$1 or station\$1 or MS\$1 or UE\$1 or equipment\$1))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:20
S25	232	S20 and S21 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:21
S26	87	S20 and S21 and S22 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:22

S27	67118	(determin\$3 or obtain\$3 or measur\$3 or estimat\$3 or calculat\$3 or deriv\$3) with (max or maximum or great\$3 or high\$3 or larg\$3) near5 (capacit\$3 or (number near3 (user\$1 or client\$1 or terminal\$1 or equipment\$1 or mobile\$1 or station\$1 or MS\$1 or UE\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:33
S28	63018	(RNR.u/c. or noise or interference) near8 (threshold or maximum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:34
S29	126	S27 same S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:34
S30	209	((RNR.u/c. or noise or interference) near5 (threshold or limit or maximum or max)) with ((number\$1 or quantit\$3) near3 (user\$1 or terminal\$1 or client\$1 or station\$1 or mobile\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:53
S31	12	S29 and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 17:53

S32	32	(ratio or fraction or percent\$3) with ((RNR.u/c. or noise or interference) near5 (threshold or limit or maximum or max)) with ((number\$1 or quantit\$3) near3 (user\$1 or terminal \$1 or client\$1 or station\$1 or mobile \$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 18:27
S33	662	(probabilit\$3) same (threshold\$3) same (RNR\$1 or noise\$2 or interference\$2) same (user\$1 or client\$1 or terminal \$1 or mobile\$1 or station\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 18:35
S34	349	S33 and ratio\$1 same threshold\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 18:35
S35	213	S34 and ("370" or "455").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 18:51
S36	211	S35 and (ratio same (RNR\$1 or noise\$1 or interference\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/25 18:53

9/ 26/ 2008 5:00:09 PM

C:\Documents and Settings\calia.USPTO\My Documents\EAST\Workspaces\10789843.wsp